

## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	0	("FUJITSUandpriortyandforeign").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/15 13:54
L2	0	FUJITSU and priorty and foreign	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/15 13:54
L3	411	FUJITSU and priority and foreign	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/15 13:54
L4	2	"20050028139"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/15 13:54
L5	5	"6396964"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/15 13:54
L6	16	"6236767"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/15 13:54
L7	2	"6236767".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/15 13:54
L8	2	"6775422".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/15 13:54
L9	2	"6456747".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/15 13:54
L10	0	("XMLnear2formnear3screen").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/15 13:54

L11	4857	XML near2 form near3screen	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/15 13:54
L12	12	XML near2 form near3 screen	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/15 13:54
L13	76	XML near2 form near3 (screen or display)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/15 13:54
L14	1	XML near2 form near3 (screen or display) and ((class near2 tag) with XML)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/15 13:54
L15	2	XML near2 form near3 (screen or display) and ((class with tag) with XML)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/15 13:54
L16	1	XML near2 form near3 (screen or display) and ((class with tag) with XML) and @ad < "20030731"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/15 13:54
L17	1	XML near2 form near3 (screen or display) and ((class with tag) same XML) and @ad < "20030731"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/15 13:54
L18	3	XML near2 form near3 (screen or display) and ((class same tag) same XML) and @ad < "20030731"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/15 13:54
L19	40	XML near2 form near3 (screen or display) and @ad < "20030731"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/15 13:54
L20	19	XML near2 form near3 (screen or display) and @ad < "20030731" and business	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/15 13:54
L21	12	XML near2 form near3 (screen or display) and @ad < "20030731" and business and model	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/15 13:54
L22	0	bsuiness and form and class and XML and tag and "20030149934"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/15 13:54

L23	2	(register near2 business near3 classes) and @ad < "20030731"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/15 13:54
L24	4	"20040014441" or "20030233249"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/15 13:54
L25	4	"20030014441" or "20030233249"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/15 13:54
L26	2	"20040006527"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/15 13:54
L27	4	"20040006527" or "2003149934"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/15 13:54
L28	4	"20040006527" or "20030149934"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/15 13:54
L29	4	"20040006527" or "2003149934"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/15 13:54
L30	4	"20040014441" or "20030233249"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/15 13:54
L31	2	"20050004894"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/15 13:54
L32	2	"20050015390"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/15 13:54
L33	2	"20050028222"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/15 13:54
L34	2	"20050289179"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/15 13:54

L35	0	storage adj system adj configured adj "to"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/15 13:54
L36	0	storage adj system near2 configured adj "to"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/15 13:54
L37	0	storage adj system near3 configured adj "to"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/15 13:54
L38	0	storage adj system near3 configu\$4 adj "to"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/15 13:54
L39	978	storage adj system adj configured	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/15 13:54
L40	45	program near2 embedded near2 perform	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/15 13:54
L41	3	"20050246311"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/15 13:54
L42	4	"20040006527" or "2003149934"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/15 13:54
L43	1	"20040006527" or "2003149934"	US-PGPUB	OR	ON	2008/08/15 13:54
L44	1	"20040006527" or "2003149934"	US-PGPUB; USPAT	OR	ON	2008/08/15 13:54
L45	2	"20040006527" or "20030149934"	US-PGPUB	OR	ON	2008/08/15 13:54
L46	40	XML near2 form near3 (screen or display) and @ad < "20030731"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/15 13:54
L47	0	X707/104.1.ccls. and L46	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/15 13:54

L48	3	707/104.1.ccls. and L46	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/15 13:54
L49	0	707/103R.ccls. and L46	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/15 13:54
L50	0	707/103.00R.ccls. and L46	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/15 13:54
L51	0	707/103.00R.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/15 13:54
L52	0	707/10300R.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/15 13:54
L53	2008	707/103R.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/15 13:54
L54	0	707/103R.ccls. and L46	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/15 13:54
L55	4	("20040006527" or "20030149934")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/15 13:54
L56	2	("20040006527" or "20030149934")	US-PGPUB	OR	ON	2008/08/15 13:54
L57	2	("20050028139")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/15 13:54
L58	2	("20050028139")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/15 13:54
L59	1	"20030149934" and (creat\$4 near3 objects)	US-PGPUB	OR	ON	2008/08/15 13:54
L60	258	(regist\$6 with business with objects) and @ad < "20030731"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/15 13:54

L61	0	(regist\$6 with business with objects) and (object adj oriente) and @ad < "20030731"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/15 13:54
L62	126	(regist\$6 with business with objects) and (object adj oriented) and @ad < "20030731"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/15 13:54
L63	3	(regist\$6 with business with objects) with (object adj oriented) and @ad < "20030731"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/15 13:54
L64	81	(regist\$6 with (business adj objects)) and (object adj oriented) and @ad < "20030731"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/15 13:54
L65	68	(regist\$6 near2 (business adj objects)) and (object adj oriented) and @ad < "20030731"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/15 13:54
L66	34	(register near2 (business adj objects)) and (object adj oriented) and @ad < "20030731"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/15 13:54
L67	1	(registering near2 (business adj objects)) and (object adj oriented) and @ad < "20030731"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/15 13:54
L68	68	(register\$6 near2 (business adj objects)) and (object adj oriented) and @ad < "20030731"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/15 13:54
L69	68	(register\$6 near2 (business adj objects)) and (object adj oriented) and @ad < "20030731" and (not (registered adj trademark))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/15 13:54
L70	0	(register\$6 near2 (business adj objects) with classes) and (object adj oriented) and @ad < "20030731"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/15 13:54
L71	0	(register\$6 near2 (business adj objects) with class) and (object adj oriented) and @ad < "20030731"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/15 13:54
L72	68	(register\$6 near2 (business adj objects)) and (object adj oriented) and @ad < "20030731" and classes	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/15 13:54

L73	0	(register\$6 near2 (business adj objects) with classes) and (object adj oriented) and @ad < "20030731" and classes	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/15 13:54
L74	3	(register\$6 near2 (business adj objects) same classes) and (object adj oriented) and @ad < "20030731" and classes	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/15 13:54
L75	5	707/103R.ccls. and (regist\$6 with business with objects) and (object adj oriented) and @ad < "20030731"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/15 13:54
L76	4	707/104.1.ccls. and (regist\$6 with business with objects) and (object adj oriented) and @ad < "20030731"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/15 13:54
L77	2	709/206.ccls. and (regist\$6 with business with objects) and (object adj oriented) and @ad < "20030731"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/15 13:54
L78	0	705/37.ccls. and (regist\$6 with business with objects) and (object adj oriented) and @ad < "20030731"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/15 13:54
L79	3	705/1.ccls. and (regist\$6 with business with objects) and (object adj oriented) and @ad < "20030731"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/15 13:54
L80	2	705/7.ccls. and (regist\$6 with business with objects) and (object adj oriented) and @ad < "20030731"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/15 13:54
S1	0	("FUJITSUandpriortyandforeign").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/19 09:22
S2	0	FUJITSU and priorty and foreign	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/19 09:23
S3	222	FUJITSU and priority and foreign	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/19 09:27
S4	2	"20050028139"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/19 09:54

S5	4	"6396964"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/19 09:56
S6	17	"6236767"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/19 09:56
S7	2	"6236767".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/19 09:57
S8	2	"6775422".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/19 09:57
S9	2	"6456747".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/19 09:57
S10	0	("XMLnear2formnear3screen").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/19 15:10
S11	3125	XML near2 form near3screen	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/19 15:10
S12	10	XML near2 form near3 screen	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/19 15:10
S13	59	XML near2 form near3 (screen or display)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/19 15:23
S14	1	XML near2 form near3 (screen or display) and ((class near2 tag) with XML)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/19 15:12
S15	2	XML near2 form near3 (screen or display) and ((class with tag) with XML)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/19 15:13
S16	1	XML near2 form near3 (screen or display) and ((class with tag) with XML) and @ad < "20030731"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/19 16:42



S17	1	XML near2 form near3 (screen or display) and ((class with tag) same XML) and @ad < "20030731"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/19 16:19
S18	3	XML near2 form near3 (screen or display) and ((class same tag) same XML) and @ad < "20030731"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/19 15:20
S19	38	XML near2 form near3 (screen or display) and @ad < "20030731"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/21 20:01
S20	18	XML near2 form near3 (screen or display) and @ad < "20030731" and business	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/19 15:37
S21	11	XML near2 form near3 (screen or display) and @ad < "20030731" and business and model	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/19 15:37
S22	0	bsuiness and form and class and XML and tag and "20030149934"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/19 16:20
S23	2	(register near2 business near3 classes) and @ad < "20030731"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/19 18:07
S25	4	"20040014441" or "20030233249"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/19 18:08
S26	4	"20030014441" or "20030233249"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/19 18:12
S27	2	"20040006527"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/19 18:13
S28	4	"20040006527" or "2003149934"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/20 14:16
S29	4	"20040006527" or "20030149934"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/20 14:16

S30	4	"20040006527" or "2003149934"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/20 19:34
S31	4	"20040014441" or "20030233249"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/20 19:39
S32	2	"20050004894"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/20 19:52
S33	2	"20050015390"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/20 19:52
S34	2	"20050028222"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/21 10:34
S35	2	"20050289179"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/21 10:34
S36	0	storage adj system adj configured adj "to"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/21 13:12
S37	0	storage adj system near2 configured adj "to"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/21 13:11
S38	0	storage adj system near3 configured adj "to"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/21 13:11
S39	0	storage adj system near3 configu\$4 adj "to"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/21 13:11
S40	617	storage adj system adj configured	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/21 13:52
S41	32	program near2 embedded near2 perform	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/21 13:52

S42	2	"20050246311"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/21 14:28
S43	4	"20040006527" or "2003149934"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/21 18:36
S44	1	"20040006527" or "2003149934"	US-PGPUB	OR	ON	2006/12/21 18:34
S45	1	"20040006527" or "2003149934"	US-PGPUB; USPAT	OR	ON	2006/12/21 18:34
S46	2	"20040006527" or "20030149934"	US-PGPUB	OR	ON	2006/12/21 18:36
S47	38	XML near2 form near3 (screen or display) and @ad < "20030731"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/03 14:01
S48	0	X707/104.1.ccls. and S47	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/21 20:02
S49	3	707/104.1.ccls. and S47	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/21 20:02
S50	0	707/103R.ccls. and S47	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/21 20:02
S51	0	707/103.00R.ccls. and S47	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/21 20:02
S52	0	707/103.00R.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/21 20:02
S53	0	707/10300R.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/21 20:03
S54	1534	707/103R.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/21 20:03

S55	0	707/103R.ccls. and S47	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/21 20:03
S56	4	("20040006527" or "20030149934")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/03 13:31
S57	2	("20040006527" or "20030149934")	US-PGPUB	OR	ON	2007/06/03 13:51
S58	2	("20050028139")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/03 13:33
S59	2	("20050028139")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/03 13:34
S60	1	"20030149934" and (creat\$4 near3 objects)	US-PGPUB	OR	ON	2007/06/03 13:51
S61	239	(regist\$6 with business with objects) and @ad < "20030731"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/03 14:02
S62	0	(regist\$6 with business with objects) and (object adj oriente) and @ad < "20030731"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/03 14:03
S63	116	(regist\$6 with business with objects) and (object adj oriented) and @ad < "20030731"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/03 15:00
S64	3	(regist\$6 with business with objects) with (object adj oriented) and @ad < "20030731"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/03 14:03
S65	75	(regist\$6 with (business adj objects)) and (object adj oriented) and @ad < "20030731"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/03 14:06
S66	64	(regist\$6 near2 (business adj objects)) and (object adj oriented) and @ad < "20030731"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/03 14:06
S67	33	(register near2 (business adj objects)) and (object adj oriented) and @ad < "20030731"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/03 14:07

S68	1	(registering near2 (business adj objects)) and (object adj oriented) and @ad < "20030731"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/03 14:08
S69	64	(register\$6 near2 (business adj objects)) and (object adj oriented) and @ad < "20030731"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/03 14:09
S70	64	(register\$6 near2 (business adj objects)) and (object adj oriented) and @ad < "20030731" and (not (registered adj trademark))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/03 14:09
S71	0	(register\$6 near2 (business adj objects) with classes) and (object adj oriented) and @ad < "20030731"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/03 14:09
S72	0	(register\$6 near2 (business adj objects) with class) and (object adj oriented) and @ad < "20030731"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/03 14:09
S73	64	(register\$6 near2 (business adj objects)) and (object adj oriented) and @ad < "20030731" and classes	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/03 14:10
S74	0	(register\$6 near2 (business adj objects) with classes) and (object adj oriented) and @ad < "20030731" and classes	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/03 14:10
S75	3	(register\$6 near2 (business adj objects) same classes) and (object adj oriented) and @ad < "20030731" and classes	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/03 14:10
S76	5	707/103R.ccls. and (regist\$6 with business with objects) and (object adj oriented) and @ad < "20030731"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/03 15:00
S77	4	707/104.1.ccls. and (regist\$6 with business with objects) and (object adj oriented) and @ad < "20030731"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/03 15:00
S78	2	709/206.ccls. and (regist\$6 with business with objects) and (object adj oriented) and @ad < "20030731"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/03 15:00
S79	0	705/37.ccls. and (regist\$6 with business with objects) and (object adj oriented) and @ad < "20030731"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/03 15:01

S80	2	705/1.ccls. and (regist\$6 with business with objects) and (object adj oriented) and @ad < "20030731"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/03 15:01
S81	2	705/7.ccls. and (regist\$6 with business with objects) and (object adj oriented) and @ad < "20030731"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/03 15:01

8/15/2008 2:15:50 PM

C:\Documents and Settings\klu\My Documents\EAST\Workspaces\10800122.wsp